



LIST OF Curtiss' First Series of West Indian Plants.

COLLECTED ON NEW PROVIDENCE ISLAND,
BAHAMAS, IN 1902-03.

212 Numbers, of which 200 or more will be found in each set.

- Odontosoria clavata (Sw.) J. Sm.
Sagenia sp.
Pteris caudata L.
Schizachyrium gracile (Spreng.), Nash.
Paspalum fimbriatum Kth.
 coryphaeum Trin.
 graeillimum Nash.
 conjugatum Berg.
Anastrophus compressus (Sw.), Schlecht.
Panicum molle Sw.
 maximum Jacq.
 proliferum Lam.
 grossarium L.
 condensum Nash.
 paspaloides Pers.
Chloris ciliata Sw.
 barbata (L.) Nash.
 Paraguayensis Steud.
 eleusinoides Gr.
Eragrostis eiliaris (L.) Link.
Uniola virgata Sw
Diplachne fascicularis (Lam.), Beauv.
Artaehne sp.
Arthrostylidium capillifolium Griseb.
Cyperus ochraceus Vahl.
Schoenus nigricans L.
Eleocharis capitata (L.) R. Br.
Phynchospora caduca Ell.
 perplexa Britton.
 divergens chapm.
Thrinax Keyensis Sargent.
Coccothrinax jucunda Sargent.
Catopsis Berteroniana (Schult.), Mez.
Gyrostachys Peruviana (Aubl.)
Orchid nov. gen.?
Commelina elegans H. B. K.
Rhaeo discolor (L'Her.), Hance.
Sansevieria Guineensis Willd.
Furcraea Cubensis (Jacq.), Vent.
Smilax Havanensis Jacq.
Trema Lima (Lam.), A. S. Hitch.
Ficus pertusa L.
 lentiginosa Vahl.
Fleurya eastuans (L.). Gaud.
Coccoloba tenuifolia L.
Bougainvillea glabra Choisy.
Basella rubra L.
Lithophila muscoides Sw.
Alternanthera paronychioides St. Hil.
Boerhaavia scandens L.
Pisonia calophylla Heimerl.
Persea Persea (L.). Cockerell.
Moringa Moringa (L.), Small.
Bryophyllum pinnatum (Lam.), F. Kurz.
Lysiloma latisiliqua (L.), Benth.
Albizzia Lebbek (Willd.) Benth.
Acacia choriophylla Benth.
Vachellia Farnesiana (L.) W. & A.
Leucaena glauca (L.), Benth.
Calliandra formosa Benth.
Acuan virgatus (L.), Medic.
Cassia villosa Mill.
 virgata Sw.
 polyadenia D C.
 Sophora L.
 sericea Sw.
 biflora augustisiliqua Lam.
Caesalpinia coriacea (Jacq.), Willd.
 Bahamensis Lam.
- Guilandina Bonduc L.
 Bonducella L.
Haematoxylon Campechianum L.
Ateleia Cubensis Griseb.
Phaseolus semierectus L.
Galactia spiciformis, T. & G.
Canavalia obtusifolia D C.
Clitoria ternatea L.
Sesban sericea D C.
Cajanus Cajan (L.), Millsp.
Abrus precatorius (L.)
Indigofera Anil L.
Stylosanthes hamata (L.), Taub, 2 Nos.
Crotalaria retusa L.
 verrucosa L.
Phyllanthus falcatus Sw.
 Bahamensis Urban.
 Niruri L.
 Carolinensis Walt.
Acalypha alopecuroides Jacq.
Croton lucidus L.
 flocculosus Geis.
 Eleuteria L.
Euphorbia Nashü Small
 heterophylla prunifolia Jacq.
Excoecaria lucida Sw.
Buxus Bahamensis Baker.
Myroxylon infestum (Griseb.), Kr. & Urb.
Banara reticulata Griseb.
Zuelania laetioides Rich.
Erythroxyllum obovatum Macf.
Gyminda Grisebachü Sargent.
Fagara flava (Vahl.), Krug. & Urban.
Picramnia pentandra Sw.
Bursera gummifera L.
Cissus tuberculata Jacq.
Crossopetalum pallens (Smith), Northrop.
Ilex repanda Griseb.
 Krugiana Loes.
Cardiospermum microcarpum Kth.
Alvaradoa amorphoides Liebm.
Thouinia discolor Gr.
Triopteris rigida Sw.
Gouania Domingensis L.
Colubrina reclinata Brongn.
Helicteres spiralis Northrop.
Corchorus hirsutus L.
 siliquosus L.
Triumfetta lappula L.
Melochia pyramidata L.
 tomentosa L.
 nodiflora Sw.
Waltheria Bahamensis Britton.
Abutilon incanum (Link) Sweet.
 crispum (L.) Medic.
 permolle G. Don.
Sida nervosa D C.
 acuminata D C.
 ciliaris L.
Malvastrum Americanum L., Torr.
Gossypium barbadense L.
Thespesia populnea Cav.
Linum Bahamense Northrop.
 Curtissü Small.
Passiflora ciliata Ait.
 pectinata Griseb.
 rubra L.
 cuprea L.
 quadrangularis L.
- Turnera microphylla Desv.
Proscarpinaca palustris L.
Ammania latifolia L.
Jussiaea suffruticosa L.
Parsonsia Parsonsia (L.) Britton.
Eugenia axillaris (Sw.) Willd.
 buxifolia (Sw.) Willd. 2 Nos.
Psidium sp.
 guava Radd.
Tetrazygia bicolor (Mill.) Cogn.
Bumelia cuneata Sw.
Dipholis salicifolia A. D C.
Chrysophyllum oliviforme Lam.
Achras Sapota L.
Rapanea Guianensis Aubl., 2 Nos.
Asclepias Curassavica L.
Echites Andrewsü Chapm.
Rhabdadenia Sagraei (A. D C.) Muell.
 Bahamensis Britton.
Ipomoea Antillana Millsp.
 microdactyla Griseb.
Jacquemontia Jamaicensis (Jacq.) Hall.
Evolvulus arbusculus Poir.
Sabbatia campanulata (L.) Torr.
Marilaunidium Jamaicense (L.) Ktze.
Cordia Lima R. & S.
Beureria succulenta Jacq.
Priva lappulacea (L.) Pers.
Lantana crocea Jacq.
Duranta repeas L.
Mesosphaerum suaveolens (L.) Ktze.
Salvia occidentalis Sw.
Leonurus Sibiricus L.
Teucrium Cubense L.
Cestrum pallidum Lam.
Solanum torvum Sw.
Physalis ixocarpa Brot.
Datura suaveolens Humb.
Maurandia antirrhiniflora Willd.
Stemodia maritima L.
Tecoma leucoxyllum (L.) Mart.
Blechum Brownei Juss.
Athacanthus acicularis (Sw.) Nees.
Thunbergia alata Bojer.
 fragrans Roxb.
Mclouthria Guadalupensis Cogn.
Momordica Charantia L.
Antirrhoca myrtifolia Griseb.
Phiolanthus myrtilloides Griseb.
Strumpfia maritima Jacq.
Chiococca parvifolia Wulls.
Petitia Pocppigü Schauer.
Rhachicallis maritima (Jacq.) Schum.
Spermacoc tenuior Lam.
Borreria laevis (Lam.) Griseb.
Chaptalia albicans (D C.) Vent.
Sachsis Bahamensis Urban.
Emilia sonchifolia D C.
Synedrella nodiflora (L.) Gaertn.
Anastrophia Northropiana Greenm.
Stemmodontia lanceolata (D C.) Britton.
Salmea petroboides Gr.
Erigeron quercifolium Lam.
Aster exilis Ell., 2 Nos.
Eupatorium conyzoides V.
 ageratifolium D C.
 Bahamense Northrop.
Ageratum Conyzoides L.
Vernonia Bahamensis Gr.

Ms. A. 9. 2
C94

AT HARVARD

77.9
9-
List of Series II. of



Curtiss' West Indian Plants.

Collected in Isla de Pinos in 1903-04.

- Marsilia Caribaea Underw.
Lycopodium cernuum L.
Neuromanens pinnatus (Hedw.) Underw.
Lygodium venustum Sw.
Adiantum fragile Sw.
 melanoleucum Willd.
 villosum L.
Blechnum occidentale L.
Odontosoria fumarioides (Sw.) J. Smith.
Dicranopteris rigida (Kunze) Underw.
Alsophila Wrightii Underw.
Goniopteris oblitterata (Sw.) Underw.
Nephrolepis biserrata (Sw.) Schott.
Hackelochloa granularis (L.) Kuntze.
Andropogon leucostachys H. B. K.
 bicornis L.
 spathiflorus Kunth.
Amphiolepis saccharoides (Sw.)
Reimaria acuta Fluegge.
Paspalum sp.
 rottboellioides Wright.
 filiforme Sw.
 virgatum L.
 pilosum Sw.
Dimorphostachys pedunculata (Poir.)
 Fourn.
Anastrophus compressus (Sw.) Schlecht.
 tristachyus (Lam.)
Anthænantia lanata (H. B. K.) Benth.
Syntherisma sp.
Oplismenus setarius (Lam.) R. & S.
Echinochloa colona (L.) Link.
Panicum diffusum Sw.
 Cayennensis Lam.
 angustifolium Ell.
 comophyllum Nash.
 laxum Sw.
 Sloanei Griseb.
 rottboellioides H. B. K.
Sacciolepis striata (Lam.)
Olyra latifolia L.
Aehlæna piptostachya Griseb.
Paratheria prostrata Griseb.
Sporobolus Indicus (L.) R. Br.
 purpurascens (Sw.) Hamilt.
Leptochloa mucronata (Michx.) Kunth.
Reynaudia filiformis Kunth.
Eragrostis Bahiensis Steud.?
 hypnoides (Lam.) B. S. P.
Cyperus Swartzii (Dietr.) Boeckl.
Kyllingia brevifolia Rottb.
Fuirena umbellata Rottb.
 simplex Vahl.
Abildgaardia monostachya (L.) Vahl.
Eleocharis interstincta (Vahl) R. & S.
Fimbristylis ferruginea (L.) Vahl.
Stenophyllus paradoxus (Spreng.)
Rhynchospora plumosa Ell.
 cyperoides (Sw.) Mart.
 cephalotoides Griseb.
 globosa R. & S.
 cymosa (Willd.) Nutt.
Scleria trichopoda Wright.
 Wrightiana Boeckl.
 lithosperma (L.) Sw.
Roystonia regia (L.) Cook.
Geonoma intermedia Griseb. & Wendl.
Copernicia Wrightii Griseb. & Wendl.
 hospita Mart.
Colpotherinax Wrightii Griseb. & Wendl.
Thrinax sp.
Sabal sp.
Tillandsia Balbisiana Schl.
 fasciculata Sw.
 tenuifolia L.
Guzmania monostachya (L.) Rusby.
Bromelia Pinguin L.
Agave sobolifera Salm.
Atamosco rosea (Lindl.) Greene.
Rajania hastata L.
Musa sapientum L.
Tetramicra Eulophiæ Rchb. f.
Piper aduncum L.
Antigonum leptopus H. & A.
Chamissoa altissima H. B. K.
Gomphrena decumbens Jacq.
Achyranthes Indica (L.) Mill.
Boerhaavia paniculata Rich.
Pisonia rotundata Griseb.
Drymaria cordata Willd.
 ortegioides Griseb.
Curatella Americana L.
Davilla rugosa Poir.
Anona palustris L.

- Nylophia grandiflora* Aubl.
Cissampelos Pareira L.
Castalia ampla (DC.) Greene.
Chrysobalanus pellocarpus Meyer.
Hirtella glandulosa Spreng.
Pithecolobium obovale Benth.
 arborescens (L.) Urban.
 Saman (Jacq.) Benth.
 tortum Mart.
Lysiloma Sabicu Benth.
Mimosa pudica L.
Cassia diphylla L.
 rotundifolia Pers.
 Abrus L.
 alata L.
Delonix regia (Bojer) Raf.
Vouacapoua Americana Aubl.
Lonchocarpus latifolius H. B. K.
Gliricidia Sepium (Jacq.) Steud.
Cracca (?) sp.
Æschynomene sensitiva Sw.
 tenuis Griseb.
Zornia diphylla (L.) Pers.
Meibomia supina (Sw.) Britton.
 Scorpiurus (Sw.) Kuntze.
Erythrina carnea Ait.
Eriosema crinitum (H. B. K.) DC.
Brya Ebenus DC.
Clitoria glycinoides DC.
 cajanifolia (Presl.) Benth.
Bradburya Cubana Britton.
 pubescens (Benth.) Kuntze.
Phaseolus adenanthus Meyer.
 semierectus L. var.
Calopogonium orthocarpum Urban.
 cœruleum Desv.
Byrsonima sp.
 crassifolia (L.) H. B. K.
Stigmaphyllon Sagræanum Juss.
 Burseracea
Trichilia spondioides Jacq.
Cedrela odorata L.
Mangifera Indica L.
Anacardium occidentale L.
Polygala gracilis Kunth.
 longicaulis H. B. K.
Phyllanthus Niruri L.
Acalypha chamædrifolia (Lam.)
 Muell. Arg.
Caperonia palustris (L.) St. Hil.
Croton procumbens Wright.
 craspedotrichus Griseb.
 Sagræanus Muell. Arg.
Sebastiania corniculata (Vahl) Muell.
Savia sessiliflora Willd.
Gymnanthes lucida Sw.
Jatropha Curcas L.
 hastata Jacq.
 gossypifolia L.
Euphorbia hyssopifolia L.
Cyrilla Antillana Michx.
Dodonæa viscosa L.
Serjania diversifolia Radlk.
Melicocca bijuga L.
Matayba apetala (Macf.) Radlk.
Allophyllis couimia (Sw.) Radlk.
Cupania Americana L.
Gouania tomentosa Jacq.
Cissus intermedia Rich.
Ternstroemia obovalis Rich.
Sauvagesia erecta L.
Ouratea Curtissii Britton.
Calophyllum Calaba Jacq.
Rheedia aristosa Griseb.
Erythroxyllum obtusum DC.
 alternifolium Rich.
Guazuma tomentosa H. B. K.
Muntingia Calabura L.
Triumfetta althaeoides Lam.
Sida hederæfolia Cav.
 micantha St. Hil.
 cordifolia L.
 linifolia Juss.
 urens L.
 glomerata Cav.
 carpinifolia L. f.
 angustifolia Lam.
Pavonia intermixta Rich.
Urena sinuata L.
Malachra urens Poit.
 fasciata Jacq.
Hibiscus costatus Rich.
Melochia hirsuta Cav.
 Flacourtiacea
Turnera Pumilea L.
Piriqueta viscosa Griseb.
 cistoides (L.) Meyer.
Casearia hirta Sw.
 hirsuta Sw.
 sylvestris Sw.
Samyda grandiflora Griseb.
Passiflora foetida L.
Phœbe elongata Nees.
Nectandra coriacea (Sw.) Griseb.
Chætolepis saturioides (Griseb.) Triana.
Acisanthera quadrata Juss.

- Clidemia hirta* (L.) D. Don.
Tamonea prasina (Sw.) Krasser.
 delicatula (A. Rich.)
 impatiens (Sw.) Britton.
Ammannia auriculata Willd.
Parsonia micrantha (H. B. K.)
 Grisebachiana (Koehe)
 cordifolia (Sw.)
Bucida Buceras L.
Buchenavia capitata (Vahl) Eichl.
 Myrtacea
Eugenia sp.
 punicifolia DC.
 Jambos L.
Jussiaea octonervia Lam.
 Peruviana L.
Centunculus pentrandrus R. Br.
Jacquinia Curtissii Britton.
Lucuma nervosa A. DC.
Vitellaria mammosa (L.) Radlk.
Rauwolfia heterophylla R. & S.
Cameraria retusa Griseb.
Plumiera obtusa L.
Rhabdadenia Cubensis Muell. Arg.
Echites myrtifolia R. & S.
Metastelma linearifolium A. Rich.
Evolvulus incanus Pers.
 alsinoides L.
Jacquemontia verticillata (L.) Urban.
Ipomoea fastigiata (Roxb.) Sweet.
 nymphaefolia Griseb.
 quinquefolia Griseb.
 tenuissima Choisy.
Nama nigricaulis (Wright) Kuntze.
Schwenckia Americana L.
Solanum sp.
 Jamaicense Sw.
Cestrum diurnum L.
Cordia gerascanthoides H. B. K.
 calococca L.
 globosa (L.) H. B. K.
Heliotropium inundatum Sw.
 pauciflorum (DC.) Griseb.
Citharexylum caudatum L.
Clerodendron fragrans Willd.
Avicennia nitida Jacq.
Salvia sp.
Mesosphærum sp.
 uliginosum (St. Hil.) Kuntze.
 minutiflorum (Griseb.) Kuntze.
 rugosum (L.) Pollard.
 pectinatum (L.) Kuntze.
 capitatum (L.) Kuntze.
Ilysanthes Curtissii Britton.
Angelonia Cubensis Robinson.
Buchnera elongata Sw.
Stenandrium droseroides Nees.
Pinguicula filifolia Wright.
Crescentia Cujete L.
Tabebuia lepidophylla (Rich.)
Oldenlandia herbacea (L.) DC.
 uniflora L.
Coccocypselum nummulariaefolium
 C. & S.
Guettarda calyptata Rich.
Rondeletia correifolia Griseb.
Psychotria costivenia Griseb.
Amaioua fagifolia Desf.
Alibertia edulis Rich.
Gonzalea leptantha Rich.
Borreria ocimoides (Burm.) DC.
 podocephala DC.
Diodia rigida C. & S.
Distreptus spicatus (Juss.) Cass.
Elephantopus mollis Kunth.
Willughbæya ranunculæfolia (Rich.)
Lachnorhiza asteroides DC.
Erigeron Jamaicensis Sw.
Conyza lyrata H. B. K.
Aplopappus marginatus Griseb.
Phania matricarioides (Less.) Griseb.
Isocarpha divaricata Benth.
Gnaphalium purpureum L.
Acanthospermum humile (Sw.) DC.
Parthenium Hysterophorus L.
Stemmodontia trilobata (L.) Small.
Neuroleena lobata (L.) R. Br.
Eleuranthera ruderalis (Sw.) Sch. Bip.
Pectis pratensis Wright.
 ciliaris L.
Enhydra sessilis (Sw.) DC.
Sachsia polycephala Griseb.
Struchium Sparganophorum (L.) Kuntze.

NOTE—This Series contains 13 supplementary numbers not enumerated above. It is expected that the few names lacking in the list will be supplied before the Series is ready to send out.

A. H. CURTISS,
 Jacksonville, Florida, U. S. A.
 August 10, 1904.

FC
72.9
C94 #1

MICH.
AT HARVARD

LIST OF SERIES III.

.OF

Curtiss' West Indian Plants

Collected in the Province of Havana, Cuba,
in 1904-05.

- Ornithopteris adiantifolia (L.) Bernh.
- Acrostichum aureum L.
- Phymatodes exiguum (Hew.) Underw.
- Pteris longifolia L.
- Adiantum tenerum Sw.
 - capillus-veneris L.
- Cheilanthes microphylla Sw.
- Heterophlebium grandifolium (L.) Fee.
- Tectaria trifoliata (L.) Cav.
- Dryopteris patens (Sw.) Kuntze.
 - sclerophylla (Kze.)
- Goniopteris reptans (Sw.) Presl.
- Selaginella stolonifera (Sw.) Spring.
- Limnocharis flava (L.) Buchenau.
- Arundinella martinicensis Trin.
- Opizia stolonifera Presl.
- Polydon sp.
- Leptochloa virgata (L.) Beauv.
- Chloris cruciata Sw.
- Dactyloctenium aegyptium (L.) Willd.
- Heterosteca americana (L.) Desv.
- Paspalum fimbriatum (Link.) Nash.
- Panicum prostratum Lam.
 - fasciculatum Sw.
 - brevifolium L.
 - trichanthum Nees.
- Oplismenus loliaceus Lam.
- Chaetochloa imberbis (Poir.) Scribn.
 - verticillata (L.) Scribn.
- Schizachyrium brevifolium (Sw.)
- Sorghum Halepense (L.) Pers.
- Saccharum officinarum L.
- Ischaemum rugosum Salisb.
- Olyra pauciflora Sw.
- Cyperus humilis Kunth.
 - giganteus Vahl.
 - elegans L.
 - filiformis Sw.
- Fimbristylis glomerata (Retz.) Urban.
- Scleria madrugana Britton.
- Livistona chinensis Mart.
- Anthurium recussatum Schott.
- Tillandsia utriculata L.
 - aloifolia Hook.
 - recurvata L.
- Smilax mollis Willd.
- Aloe vera L.
- Stenorhynchus orchioides (Sw.) Rich.
- Piper hispidum Sw.
- Heckeria umbellata (L.) Kunth.
- Ficus religiosa L.
 - sapotifolia Kunth & Bauche.
- Urera baccifera (L.) Gaud.
- Fleurya cuneata (Rich.) Wedd.
- Boehmeria littoralis Sw.
- Adicea microphylla (L.) Kuntze.
- Polygonum punctatum Ell.
 - portoricense Bert.
- Iresine paniculata (L.) Kuntze.
- Alternanthera spinosa (Hornem.) R. & S.
- Amaranthus crassipes Schl.
- Pisonia aculeata L.
- Cryptocarpus globosus, H. B. K.
- Rivina humilis L.
 - octandra L.
- Petiveria alliacea L.
- Sesuvium microphyllum Willd.
- Cypselea humifusa Turp.
- Oxandra virgata Rich.
- Bocconia frutescens L.
- Roripa glabra (E. E. Schultz) Britton
- Capparis Grisebachii Eichl.
- Cleome Houstoni R. Br.
- Pedicellaria pentaphylla (L.) Schrank.
- Parosela domingensis (D.C.) Heller.
- Galactia striata (Jacq.) Urban.
- Calopogonium caeruleum (Bth.) Hemsl.
- Dolicholus minimus (L.) Medic.
 - reticulatus (Sw.) Millsp.
- Phaseolus lunatus L.
- Teramnus uncinatus Sw.
- Phlebotaenia cuneata Griseb.

- Cassia bicapsularis* L.
 serpens L.
Parkinsonia aculeata L.
Bauhinia heterophylla Kunth.
Poinciana pulcherrima L.
Mimosa asperata L.
Tribulus cistoides L.
Suriana maritima L.
Fagara Fagara (L.) Small.
Amyris balsamifera L.
Triphasia trifoliata (L.) D.C.
Murraya exotica L.
Trichilia havanensis Jacq.
Triopteris rigida Sw.
 Malpighiaceae.
Euphorbia picta Jacq.
 prostrata Ait.
 Torralbasii Urban.
 Mendezii Boiss.
 pilulifera procumbens Boiss.
 hypericifolia L.
 brasiliensis Lam.
 buxifolia Lam.
 trichotoma H. B. K.
Croton nummulariaefolius A. Rich.
Acalypha sp.
 ostryaefolia Ridd.
Tragia volubilis L.
Platygyne hexandra Muell. Arg.
Dalechampia scandens L.
Ricinella Ricinella (L)
Crossopetalon aquifolium (Griseb)
Serjania subdentata Juss. & Poir.
Cupania glabra Sw.
Sapindus marginatus Willd.
Colubrina sp.
Cissus sicyoides L.
Waltheria americana L.
Anoda hastata Cav.
Sida pyramidata Cav.
Bastardia viscosa (L.) H. B. K.
Gaya occidentalis (L.) Griseb.
Abutilon hirtum G. Don.
Pavonia spinifex (L.) Cav.
Malvaviscus grandiflorus H. B. K.
Hibiscus tubiflorus D.C.
Ouratea ilicifolia (D.C.) Baill.
Casearia spinescens (Sw.) Griseb.
 ramiflora Vahl.
Passiflora minima L.
Turnera ulmifolia L.
Quisqualis indica L.
Terminalia Catappa L.
Eugenia ligustrina Willd.
Hydrocotyle spicata Lam.
Apium ammi (L.) Urban.
Jacquinia axillaris Oerst.
 aculeata L.) Mez.
Plumbago scandens L.
Vallesia glabra Cav.
Ammocallis rosea (L.) Small.
Tabernaemontana citrifolia Jacq.
Marsdenia campanulata Griseb.
Asclepias nivea L.
Ipomoea obtusata Griseb.
 umbellata (L.) Meyer.
 reptans Poir.
 triloba L.
Pharbitis cathartica (Poir.) Choisy.
Cordia alba (Jacq.) R. & S.
Bourreria virgata Don.
Ehretia tinifolia L.
Tournefortia scabra Lam.
 bicolor Sw.
 hirsutissima L.
Heliotropium indicum L.
 parvifolium L.
 curassavicum L.
 humifusum H. B. K.
Verbena officinalis L.
Lantana Camara L.
 trifolia L.
 involucrata L.
Lippia dulcis Trev.
 stoechadifolia (L.) H. B. K.
 nodiflora (L.) Michx.
Valerianodes jamaicensis (L.) Medic.
Citharexylum cinereum L.
Ocimum sanctum L.
Salvia micrantha Vahl.
 privoides Benth.
Capsicum baccatum L.
Solanum havanense Jacq.
 bahamense L.
Physalis minima L.
Nicotiana plumbaginifolia Viv.
Russelia sarmentosa Jacq.
Buddleia americana L.
Capraria biflora pilosa Griseb.
Stemodia durantifolia Sw.
Neomacfadyena podopogon (Griseb.)
Tecoma Berterii D.C.
Stenolobium stans (L.) D. Don.
Rhytidophyllum crenulatum D.C.
Ruellia tuberosa L.
Jacobinia Mohintli (Nees) Hemsl.

Justicia Adhatoda L.
Sanchezia nobilis Hook.
Psychotria rufescens H. B. K.
 undata Jacq.
 pubescens Sw.
Morinda Roioe L.
Randia Sagraeanum (Rich.) Griseb.
Rondeletia odorata Jacq.
Ixora coccinea L.
 Thwaitesii Hook. f.
Exostemma caribaeum (Jacq.) R. & S.
Mitracarpus sp.
 crassifolius Rich.
Oldenlandia callitrichoides Griseb.
Lobelia Cliffortiana L.
Isotoma longiflora (L.) Presl.
Iva cheiranthifolia Kunth.
Vernonia menthaefolia Less.
Ageratum muticum Griseb.

Eupatorium villosum Sw.
Willugbaeya hastata (L.) Kuntze.
Pluchea odorata (L.) Cass.
 purpurascens (Sw.) D.C.
Egletes viscosa Less.
Nocca mollis (Cav.) Juss.
Eclipta alba (L.) Hassk.
Melanthera nivea (L.) Small.
Spilanthes Acmella L.
Stemmodontia reticulata (D.C.)
Borrchia arborescens (L.) D.C.
Trixis Trixis (L.)
Viguiera helianthoides H. B. K.
Verbesina alata L.
Calyptrocarpus vialis Less.
Bidens leucantha (L.) Willd.
Tridax procumbens L.
Flaveria trinervia (Spreng.) Mohr.
Dysodia porophylla Cav.

NOTE—This series, like the last preceding, includes several woody plants which in Cuba are found only in cultivation. For these and numerous native species I am indebted to the great courtesy of the gentlemen in charge of the Botanical Garden in Havana. Counting the supplementary numbers, which are not enumerated above, subscribers may expect to receive about 230 species. I expect to send out all the plants fully named, and hope to be able to supply the few names lacking in Series II.

July 15, 1905.

A. H. CURTISS,
Jacksonville, Florida, U. S. A.

